

# Colour Chart

Polyester · Polyvinylidene fluoride · Plastisol

# Colour Chart for Fischer Construction Elements



Light ivory RAL 1015



Reseda green RAL 6011



Red brown RAL 8012\*



Flame red RAL 3000\*/\*\*\*



Chromoxid green RAL 6020



Grey white RAL 9002\*\*\*



Rubin red RAL 3003




Anthracite RAL 7016\*\*\*



White aluminium RAL 9006\*\*/\*\*\*



Gentian blue RAL 5010\*



Light grey RAL 7035\*\*\*




Grey aluminium RAL 9007\*\*\*



Sky blue RAL 5015



Dusty grey RAL 7037



Pure white RAL 9010\*\*\*



Olive green RAL 6003\*



Copper brown RAL 8004



Mose green RAL 6005



Nut brown RAL 8011

The basic material for Fischer construction elements is steel sheeting as per DIN EN 10147 with a double-sided G275 zinc coating. This material is then coated with coloured polyester.

\* Bright colours, only available at extra charge, bright colour RAL 5007 is only offered as a PVDF coating.

\*\* The reverse side coating is marked by an arrow. This is visible in the single-skin construction.

\*\*\* Colour only similar to RAL.

The representation of the RAL colours follows the RAL 840 HR colour register with special permission of the RAL committee for terms of delivery and quality control.

The RAL 840 HR colour register is binding for the RAL colours. The colour samples are printed images of the original colours and reproduce the colours only approximately.

Only the original colour samples are definitive for the supplied surface effect and the degree of gloss.

All other colours as per the colour chart are supplied in the standard quality polyester (SP).

FischerPROFILE	Thick-ness t (mm)	Galva-nized Z275	Aluzinc 55% Al Zn AZ 185	Polyester/Polyester SP/RSL 15 µm/12 µm RAL-colours similar RAL 4.)	Polyester/Polyester SP/RSL 25 µm/12 µm RAL colours to Polyester colour chart	Polyester/Polyester SP/SP 25 µm/25 µm RAL colours to polyester colour chart
FischerTRAPEZ 35/207 40/183 50/250 100/275	0,63	○	●		1015, 7016, 8012, 9002, 9006	●
	0,75	○	●	9002	● According to colour charts	● 9002, 9006
	0,88	○	●	9002	● 9002, 7016, 7035, 8012 <sup>2)</sup> , 9006 <sup>4,5)</sup> , 9010 <sup>4)</sup>	● 9002, 9010 <sup>4)</sup> , 9006
	1,00	○	●	9002	● 9002, 9006 <sup>4)</sup>	●
	1,25	○	○	9002	● 9002	○
	1,50	○	●	9002	● 9002	○
85/280 135/310 150/280 165/250	0,75	○	●	9002, 9010	● 7016, 9002, 9006, 9010 <sup>4)</sup> , 8012 <sup>2)</sup>	○
	0,88	○	●	9002	● 7016, 9002, 8012, 9010 <sup>4)</sup> , 9006 <sup>4,5)</sup>	○
	1,00	○	●	9002	● 9002, 9006, 9010 <sup>4)</sup>	○
	1,25	○	●	9002	● 9002	○
	1,50	○	●	9002	● 9002	○
	FischerKASSETTE 100/600 120/600 130/600 145/600	0,75	○	○	9002	●
0,88		○	○	9002	●	○
1,00		○	○	9002	●	○
1,25		○	○	9002	●	○
FischerPANEEL 30/250	0,75		●	9002	● According to colour charts	●
	0,88		●	9002	● 9002, 7016, 7035, 8012, 9006 <sup>4,5)</sup> , 9010 <sup>4)</sup>	●
FischerKLIPTEC 52/400	0,63		●			
	0,75		●			
FischerTHERM Baubreite: 1100 mm LL 40 LL 60 LL 80 LL 100	40 <sup>1)</sup>				According to colour charts Polyester	●
	60 <sup>1)</sup>					
	80 <sup>1)</sup>					
	100 <sup>1)</sup>					
FischerTHERM Baubreite: 1000 mm LL 40 LL 60 LL 80 LL 100	40 <sup>1)</sup>		●		For 0,55 mm thickness Outside sheet: RAL 9002 4.) RAL 9006 4.) RAL 9010 4.)	●
	60 <sup>1)</sup>					
	80 <sup>1)</sup>					
	100 <sup>1)</sup>					
FischerTHERM plus SL 60, ML 60 SL 80, ML 80 SL 100, ML 100  FischerTHERM WL 80 WL 100	60 <sup>1)</sup>				For 0,63 mm thickness Outside sheet: 3003, 5010 <sup>2)</sup> , 5015, 6011, 7016, 7035, 7037, 8004, 8012 <sup>2)</sup> , 9002, 9006 <sup>4)</sup> , 9007 <sup>4)</sup> , 9010 <sup>4)</sup>	●
	80 <sup>1)</sup>					
	100 <sup>1)</sup>					
FischerTHERM TL 65 TL 85	65 <sup>1)</sup>				For 0,55 mm thickness Outside sheet see colours for LL design. For 0,63 mm thickness Outside sheet: 1015, 3000, 5010 <sup>2)</sup> , 5015, 6005, 6011, 7016, 7035, 8004 8011, 8012 <sup>2)</sup> , 9002 4.), 9006 4.), 9010 4.)	●
	85 <sup>1)</sup>					
FischerTHERM DL 70 DL 80 DL 100 DL 120 DL 140	70 <sup>1)</sup>		●		For 0,55 mm thickness Outside sheet see colours for LL design. For 0,63 mm thickness Outside sheet: (plusdach): 1015, 3000, 5010 <sup>2)</sup> , 5015, 6005, 6011, 7016, 7035, 8004 8011, 8012 <sup>2)</sup> , 9002 4.), 9006 4.), 9010 4.)	●
	80 <sup>1)</sup>		●			
	100 <sup>1)</sup>		●			
	120 <sup>1)</sup>		●			
	140 <sup>1)</sup>		●			
			●			

- Material in stock, available at short notice.
- On request.

RSL = 12 µm Rear side protective lacquer


- 1.) Element thickness
- 2.) Intensive colour.
- 3.) PVDF quality.
- 4.) Colour similar to RAL, no uniformity of colours can be ensured even within one delivery.
- 5.) Rear side protective lacquer (RSL) is identified by an arrow pointing to RAL 9006. Will be visible in the case of single-sheet design.
- 6.) Colour similar to RAL.

**Product range**


FischerTHERM



FischerTRAPEZ



FischerTRAPEZ-Acoustic




FischerKASSETTE




FischerKASSETTE-Acoustic



FischerWELLE






FischerPANEEL



FischerKLIPTEC



Flashings and accessories



Diese Informationen sind nach **bestem Wissen und Gewissen** erstellt worden. Corus plc – einschließlich ihrer Tochtergesellschaften – übernimmt jedoch keine Haftung für Informationen, die sich **eventuell als irreführend** herausstellen könnten. Reproduktion und Nachdruck verboten.